ORGDP

OAK RIDGE GASEOUS DIFFUSION PLANT

413-1.3.1

MARTIN: MARIETTA

PCB INVENTORY 1978 - 1984

APPROVAL FOR RELEASE

Document: #_			5/31/85
Title/Subject _	PCB INVENTORY	1978 - 1984	
Approval for u	unrestricted release of th	is document is auth	orized by the Oak
Ridge K-25 S	ite Classification and	Information Contr	ol Office, Martin
Marietta/Energ	y Systems, Inc., PO Box	2003, Oak Ridge, T	N 378201-7307.
Seven	Douis X	(10)	13/9/92
K-25 Classifica	ation & Information Con	trol Officer	Date

J. E. Stone

Environmental Management Department Health Safety and Environmental Affairs

May 21, 1985

Prepared for the U.S. Department of Energy under Contract No. DE-ACO5-840R21400

#429

OPERATED BY
MARTIN MARIETTA ENERGY SYSTEMS, INC.
FOR THE UNITED STATES
DEPARTMENT OF ENERGY

PCB INVENTORY 1978 - 1984

ENVIRONMENTAL MANAGEMENT DEPARTMENT OAK RIDGE GASEOUS DIFFUSION PLANT

TABLE OF CONTENTS

		Page Number
PCB	Inventory January 1, 1978 - December 31, 1978	2
PCB	Inventory January 1, 1979 - December 31, 1979	9
PCB	Inventory January 1, 1980 - December 31, 1980	16
PCB	Inventory January 1, 1981 - December 31, 1981	24
PCB	Inventory Janaury 1, 1982 - December 31, 1982	32
PCB	Inventory January 1, 1983 - December 31, 1983	40
PCB	Inventory January 1, 1984 - December 31, 1984	48

JANUARY 1, 1978 - DECEMBER 31, 1978

January 1, 1978 - December 31, 1978

As of January 1, 1979, the following PCB capacitors were in use at the ORGDP:

	• • •	Wt.	Wt. (Kg)	
Location	Number	Each	Total	
K-25	320	10.8	3,456.0	
K-27	2,618	9.7	25,394.6	
K-29	690	10.8	7,452.0	
K-31	3,300	8.0	26,400.0	
K-33	4,739	13.0	61,607.0	
			124,309.6	

January 1, 1978 - December 31, 1978

As of January 1, 1979, the following PCB transformers were in use at the ORGDP:

		Wt. (Kg)
Location	Number	Each	<u>Total</u>
K-33	40	9,576	383,040.0
K-33	28	7,781	217,868.0
K-33	8	7,781	62,248.0
K-33	4	7,281	29,124.0
K-1035	1	624	624.0
K-1036	2	568	1,136.0
K-1401	1	1,215	1,215.0
K-633	1	7,781	7,781.0
K-711	1	624	624.0
K-1001	2	1,306	2,612.0
K-1001	1	903	903.0
			707,175.0

January 1, 1978 - December 31, 1978

From January 1, 1978, to December 31, 1978, the following materials were placed in storage for future disposal:

Plant Origin	Number	Container	Contents	Wt. (Kg)
K-25	14	Drum	PCB solids	1,710.0
Y-12	6	Drum	PCB solids	452.0
X-10	2	Drum	PCB solids	113.0
K-25	42	Drum	PCB liquid	11,108.0
K-25	37	Drum	PCB liquid - Kerosene	5,920.0
Y-12	4	Drum	PCB liquid	658.0
X-10	4	Drum	PCB liquid	556.0
K-25	32	Drum	Capacitors	5,116.0
Y-12	6	Drum	Capacitors	842.0
X-10	0	Drum	Capacitors	0.0
K-25	9	Transformer	Transformer	7,544.0
Y-12	0	Transformer	Transformer	0.0
X-10	2	Transformer	Transformer	1.636.0
		•		35,655.0

January 1, 1978 - December 31, 1978

As of January 1, 1979, the following materials were in storage for future disposal:

Number	<u>Container</u>	Type	Wt. (Kg)	Location
22	Drum	PCB solids	2,275.0	K-306-1
50	Drum	PCB liquid	12,322.0	K-306-1
37	Drum	PCB liquid-kerosene	5,920.0	K-726
38	Drum	Capacitors	5,958.0	K-306-1
11	Transformer	Transformer	9,180.0	K-726

As of January 1, 1979, the following PCB storage tanks were in use at the ORGDP:

		Wt. (Kg)	
Location	Number	Each	Total
K-33	13	5,374.15	69,864.0

There were no shipments of PCB materials from Janauary 1, 1978 to December 31, 1978.

JANAURY 1, 1979 - DECEMBER 31, 1979

January 1, 1979 - December 31, 1979

As of January 1, 1980, the following PCB capacitors were in use at the ORGDP:

Location		Wt. (Kg)	
	Number	Each	Total
K-25	320	10.8	3,456.0
K-27	2,348*	9.7	22,775.6
K-29	690	10.8	7,452.0
K-31	3,300	8.0	26,400.0
K-33	4,739	13.0	61,607.0
			121,690.6

^{*} Reduction of 270 capacitors from 1978 inventory. These capacitors were removed on 11/05/79. Drums #328-337.

January 1, 1979 - December 31, 1979

As of January 1, 1980, the following PCB transformers were in use at the \mathtt{ORGDP} :

	5	Wt. (Kg)		
Location	Number	Each	<u>Total</u>	
K-33	40	9,576	383,040.0	
K-33	28	7,781	217,868.0	
K-33	8	7,781	62,248.0	
K-33	4	7,281	29,124.0	
K-1035	1	624	624.0	
K-1401	1	1,215	1,215.0	
K-633	1	7,781	7,781.0	
K-711	1	624	624.0	
			702,524.0	

January 1, 1979 - December 31, 1979

From January 1, 1979, to December 31, 1979, the following materials were placed in storage for future disposal.

Plant Origin	Number	Container	Contents	Wt. (Kg)
K-25	72	Drum	PCB solids	8,805.0
Y-12	38	Drum	PCB solids	7,504.0
X-10	3	Drum	PCB solids	643.0
K-25	31	Drum	PCB liquid	9,915.0
K-25	25	Drum	PCB liquid-kerosene	4,125.0
K-25	54	Drum	PCB liquid-waste oil <500 ppm	9,119.0
K-25	0	Drum	PCB liquid-waste oil >500 ppm	0.0
Y-12	0	Drum	PCB liquid	0.0
X-10	38	Drum	PCB liquid	12,105.0
X-10	36	Drum	PCB liquid-kerosene	5,744.0
K-25	11	Drum	Capacitors	8,480.0
Y-12	13	Drum	Capacitors	1,338.0
X-10	4	Drum	Capacitors	414.0
K-25	8	Transformer	Transformer	19,304.0
Y-12	0	Transformer	Transformer	0.0
X-10	9	Transformer	Trasformer	19,895.0
				107,391.0

January 1, 1979 - December 31, 1979

As of January 1, 1980, the following materials were in storage for future disposal:

Number	<u>Container</u>	Type	Wt. (Kg)	Location
103	Drum	PCB solids	16,353.0	K-306-1
118	Drum	PCB liquid	34,262.0	K-306-1
98	Drum	PCB liquid-kerosene	15,789.0	K-726
54	Drum	PCB liquid-waste oil	9,119.0	K-726
4	Drum	Capacitors	378.0	K-30 6-1
0	Transformer	Transformer	0.0	K-726

As of January 1, 1980, the following PCB storage tanks were in use at the ORGDP:

Location		Wt. (Kg)		
	Number	Each	Total	
K-33	13	5,374.15	69,864.	

January 1, 1979 - December 31, 1979

From January 1, 1979 to December 31, 1979 the following PCB materials were removed from the ORGDP:

Number	Container	Type	Wt. (Kg)
32	Drum	PCB solids	2,874.0
1	Drum	PCB liquid	80.0
62	Drum	Capacitors	15,812.0
28	Transformer	Transformer	48,379.0
			67,145.0

All PCB materials were shipped to Chemical Waste Management in Emelle, Alabama.

JANAURY 1, 1980 - DECEMBER 31, 1980

January 1, 1980 - December 31, 1980

As of January 1, 1981, the following PCB capacitors were in use at the ORGDP:

Location		Wt. (Kg)	
	Number	Each	Total
K-25	320	10.8	3,456.0
K-27	2,348	9.7	22,775.6
K-29	690	10.8	7,452.0
K-31	3,300	8.0	26,400.0
K-33	4,739	13.0	61.607.0
			121,690.6

As of January 1, 1981, the following PCB transformers were in use at the ORGDP.

	-	Wt()	Kg)
Location	Number	<u> Each</u>	Total
K-33	40	9,576.0	383,040.0
K-33	28	7,781.0	217,868.0
K-33	8	7,781.0	62,248.0
K-33	4	7,281.0	29,124.0
K-633	1	7,781.0	7,781.0
K-1401	1	1,215.0	1,215.0
K-791-N	2	115.0	230.0
K-791-S	2	115.0	230.0
K-1002	3	136.0	408.0
			702,144.0

As of January 1, 1981, the PCB transformers (mineral oil contaminated with greater than 500 pm PCB) were in use at the ORGDP.*

	-	Wt. (Kg)		
Location	Number	Each	Total	
K-862	1	1,701.0	1,701.0	
K-1131	2	1,701.0	1,701.0	
K-1301	1	1,500.0	1,500.0	
K-1401	4	1,701.0	6.804.0	
			11,706.0	

^{*}In 1980, a PCB mineral oil transformer sampling program was initiated. The following transformers were added to the inventory following this program.

As of January 1, 1981, the following PCB storage tanks were in use at the ORGDP :

Location	•	Number	Wt. (kg)
K-33		13	69,864.0

From January 1, 1980, to December 31, 1980, the following materials were placed in storage for future disposal:

Plant Origin	Number	Container	Contents	Wt. (Kg)
K-25	11	Drum	PCB Solids	1,299.0
Y-12	33	Drum	PCB Solids	3,963.0
X - 10	2	Drum	PCB Solids	140.0
K-25	4	Drum	PCB Liquid	1,139.0
K-25	4	Drum	PCB Liquid - Kerosene	660.0
K-25	23	Drum	PCB Liquid - Waste Oil <500 ppm	3,680.0
K-25	8	Drum	PCB Liquid - Waste Oil >500 ppm	1,280.0
Y-12	0	Drum	PCB Liquid	0.0
X-10	20	Drum	PCB Liquid - Mineral Oil	3,803.0
K-25	2	Drum	Capacitors	336.0
Y-12	15	Drum	Capacitors	2,475.0
X-10	0	Drum	Capacitors	0.0
K-25	3	Transformer	Transformer	5,564.0
Y-12	Ō	Transformer	Transformer	0.0
X-10	0	Transformer	Transformer	0.0
				24,339.0

As of January 1, 1981, the following materials were in storage for future disposal:

Number	<u>Container</u>	<u>Type</u>	Wt. (Kg)	Location
149	Drum	PCB Solids	21,755.0	K-306-1
122	Drum	PCB Liquid	35,401.0	K-306-1
102	Drum	PCB Liquid - Kerosene	16,449.0	K-726
85	Drum	PCB Liquid - Waste Oil	14,079.0	K-726
20	Drum	PCB Liquid - Mineral Oil	3,803.0	K-726
21	Drum	Capacitors	3,189.0	K-306-1
3	Transformer	Transformer	5,564.0	K-726

From January 1, 1980, to December 31, 1980, the following PCB materials were removed from the ORGDP:

<u>Number</u>	<u>Container</u>	Type	Wt. (Kg)
0	Drum	PCB Solids	0.0
0	Drum	PCB Liquid	0.0
0	Drum	Capacitors	0.0
0	Transformer	Transformer	0.0

JANAURY 1, 1981 - DECEMBER 31, 1981

.

January 1, 1981 - December 31, 1981

As of January 1, 1982, the following PCB capacitors were in use at the ORGDP:

Location		Wt. (Kg)		
	Number	<u> Fach</u>	Total	
K-25	320	10.8	3,456.0	
K-27	2,348	9.7	22,775.6	
K-29	690	10.8	7,452.0	
K-31	3,300	8.0	26,400.0	
K-33	4,739	13.0	61,607.0	
			121,690.6	

As of January 1, 1982, the following PCB transformers were in use at the ORGDP.

		Wt.	(Kg)
Location	Number	Each	Total
K-33	40	9,576	383,040.0
K-33	28	7,781	217,868.0
K-33	8	7,781	62,248.0
K-33	4	7,281	29,124.0
K-633*	. 1	7,781	7,781.0
			700,061.0

^{*}During 1981, this transformer was taken out of services and designated as a K-33 process transformer spare.

As of January 1, 1982, the following PCB transformers (mineral oil contaminated with greater than 500 ppm PCB) were in use at the ORGDP:

		Wt. (Kg)	
Location	Number	Each	Total
*K-862	1	1,597.0	1,597.0
*K-1131	2	1,600.0	3,200.0
*K-1301	1	1,408.0	1,408.0
*K-1401	4	1,408.0	5,632.0
**K-731	3	736.0	2,208.0
**K-731	3	1,104.0	3,312.0
**K-791	5	1,104.0	5,520.0
**K-791	2	845.0	1,690.0
**K-791	1	1,280.0	1,280.0
**Elza K-741	2	1,104.0	2,208.0
			28,055.0

^{*}Due to the use of differing calculated densities, the weights of these transformers have changed from the 1980 PCB Inventory.

^{**}In 1980, a PCB mineral oil transformer sampling program was initiated. These transformers were added to the inventory following the program.

From January 1, 1981, to December 31, 1981, the following materials were placed in storage for future disposal:

Plant Origin	Number	<u>Container</u>	Contents	Wt. (Kg)
K-25	10	Drum	PCB Solids	3,315.0
K-25	8	Drum	PCB Liquid	2,600.0
K-25	10	Drum	PCB Liquid-Kerosene	1,650.0
X-10	2	Drum	PCB Liquid	650.0
X-10	2	Drum	PCB Liquid-Kerosene	330.0
K-25	3	Drum	Capacitors	681.0
K-25	9	Transformer	Transformer	3,804.0
X-10	1	Transformer	Transformer	1.818.0
				14,848.0

As of January 1, 1982, the following materials were in storage for future disposal:

Number	Container	Type	Wt. (Kg)	Location
119	Drum	PCB Solids	16,693.0	K-306-1
132	Drum	PCB Liquid	38,651.0	K-306-1
114	Drum	PCB Liquid - Kerosene	18,429.0	K-726
85	Drum	PCB Liquid - Waste Oil	14,079.0	K-726
20	Drum	PCB Liquid - Mineral Oil	3,803.0	K-726
7	Drum	Capacitors	1,059.0	K-306-1
13	Transformer	Transformer	11,186.0	K-726

From January 1, 1981, to December 31, 1981, the following PCB materials were removed from the ORGDP:

Number	Container	Type	Wt. (Kg)
40	Drum	PCB Solids	8,377.0
0	Drum	PCB Liquid	0.0
17	Drum	Capacitors	2,811.0
0	Transformer	Transformer	0.0

All PCB materials were shipped to Chemical Waste Management in Emelle, Alabama.

In addition, the following materials are maintained for future use or disposal.*

			Wt	. (Kg)
Location	Number	Container	<u> Each</u>	Total
K-33	7	Transformer Casing	Empty	Empty
K-33	1	Transformer Casing	9,488	9,488.0
K-33	6	Transformer	4,261	25,566.0
K -33	3	Transformer	6,023	18,069.0
K-33	1	Transformer	Empty	Empty
K-33	1	Storage Tanks	2,727	2,727.0
K-33	1	Storage Tanks	9,659	9,659.0

^{*}Due to different accounting measures, these transformer casings were listed on previous inventories as 13 storage tanks in K-33.

JANAURY 1, 1982 - DECEMBER 31, 1982

January 1, 1982 - December 31, 1982

As of January 1, 1983, the following PCB capacitors were in use at the ORGDP:

		Wt.	Wt. (Kg)	
Location	Number	<u> </u>	Total	
K-25	320	10.8	3,456.0	
K-27	2,323*	9.7	22,533.0	
K-29	690	10.8	7,452.0	
K-31	3,300	8.0	26,400.0	
K-33	4,737**	13.0	61.581.0	
	· · · · · · · · · · · · · · · · · · ·		121,422.0	

^{*}Reduction of 25 capacitors from 1981 inventory. These capacitors were removed on 07/23/82. Drums #754-758.

^{**}Reduction of two capacitors from 1981 inventory. These capacitors were removed on 07/08/82. Drum #741.

As of January 1, 1983, the following PCB transformers were in use at the ORGDP:

		Wt(Wt. (Kg)	
Location	Number	<u> </u>	Total	
K-33	40	9,576	383,040.0	
K-33	28	7,781	217,868.0	
K-33	8	7,781	62,248.0	
K-33	4	7,281	29,124.0	
K-33*	1	7,781	<u>7.781.0</u>	
			700,061.0	

^{*}This transformer is the transformer listed at K-633 on the 1981 inventory.

As of January 1, 1983, the following PCB transformers (mineral oil contaminated with greater than 500 ppm PCB) were in use at the ORGDP:

		Wt.	(Kg)
Location	Number	Each	Total
K-862	1	1,597.0	1,597.0
K-1131	2	1,600.0	3,200.0
K-1301	1	1,408.0	1,408.0
K-1401	4	1,408.0	5,632.0
K-731	3	736.0	2,208.0
K-731	3	1,104.0	3,312.0
K-791	5	1,104.0	5,520.0
K-791	2	845.0	1,690.0
K-791	1	1,280.0	1,280.0
K-791*	1	4,239.0	4,239.0
Elza K-741	2	1,104.0	2,208.0
			32,294.0

^{*}In 1980, a PCB mineral oil transformer sampling program was initiated. This transformer was added to the inventory following this program.

From January 1, 1982, to December 31, 1982, the following materials were placed in storage for future disposal:

Plant Origin	Number	Container	Contents	Wt. (Kg)
K-25	20	Drum	PCB Solids	2,936.0
K-25	25	Drum	PCB Liquid	8,125.0
K-25	4	Drum	PCB Liquid - Kerosene	660.0
K-25	7	Drum	PCB Liquid - Waste Oil <500 ppm	1,238.0
K-25	5	Drum	PCB Liquid - Waste Oil >500 ppm	800.0
K-25	27	Drum	PCB Liquid - Mineral Oil <500 ppm	6,129.0
K-25	0	Drum	PCB Liquid - Mineral Oil >500 ppm	0.0
K-25	8	Drum	Capacitors	915.0
				20,803.0

As of January 1, 1983, the following materials were in storage for future disposal:

Number	Container	Type	Wt. (Kg)	Location
135	Drum	PCB Solids	19,014.0	K-306-1
4	Drum	PCB Solids	615.0	K-726
157	Drum	PCB Liquids	46,776.0	K-306-1
118	Drum	PCB Liquid - Kerosene	19,089.0	K-726
97	Drum	PCB Liquid - Waste Oil	16,117.0	K-726
47	Drum	PCB Liquid - Mineral Oil	9,932.0	K-726
15	Drum	Capacitors	1,974.0	K-306-1
13	Transformers	Transformers	11,186.0	K-726

From January 1, 1982, to December 31, 1982, the following PCB materials were removed from the ORGDP:

Number	<u>Container</u>	Type	Wt. (Kg)
0	Drum	PCB Solids	0.0
0	Drum	PCB Liquid	0.0
0	Drum	Capacitors	0.0
0	Transformer	Transformer	0.0

In addition, the following materials are maintained for future use or disposal:

		•	Wt.	(Kg)
Location	<u>Number</u>	Container	<u>Each</u>	<u>Total</u>
K-33	7	Transformer Casing	Empty	Empty
K-33	1	Transformer Casing	9,488	9,488.0
K-33	6	Transformers	4,261	25,566.0
K-33	3	Transformers	6,023	18,069.0
K-33	1	Transformers	Empty	Empty
K-33	1	Storage Tanks	2,727	2,727.0
K-33	1	Storage Tanks	9,659	9,659.0

JANAURY 1, 1983 - DECEMBER 31, 1983

January 1, 1983 - December 31, 1983

As of January 1, 1984, the following PCB capacitors were in use at the ORGDP:

		Wt.	Wt. (Kg)	
Location	Number	<u>Fach</u>	Total	
K-25	216*	10.8	2,332.8	
K-27	2,323	9.7	22,533.1	
K-29	690	10.8	7,452.0	
K-31	3,300	8.0	26,400.0	
K-33	4,737	13.0	61.581.0	
			120,298.9	

^{*}Reduction of 104 capacitors from 1982 inventory. These capacitors were removed on 06/06/83. Drums #775-789.

As of January 1, 1984, the following PCB transformers were in use at the ORGDP:

		Wt	(Kg)
Location	Number	Each	Total
K-33	40	9,576	383,040.0
K - 33	28	7,781	217,868.0
K-33	8	7,781	62,248.0
K-33	4	7,281	29,124.0
K-33	1	7,781	_7.781.0
			700.061.0

As of January 1, 1984, the following PCB transformers (mineral oil contaminated with greater than 500 ppm PCB) were in use at the ORGDP:

	•	Wt. ()	<u>(g)</u>
Location	Number	Each	Total
K-862	1	1,597.0	1,597.0
K-1131	2	1,600.0	3,200.0
K-1301	0*	0.0	0.0
K-1401	4	1,408.0	5,632.0
K-731	3	736.0	2,208.0
K-731	5**	1,104.0	5,520.0
K-791	5	1,104.0	5,520.0
K-791	2	845.0	1,690.0
K-791	1	1,280.0	1,280.0
K-791	1	4,239.0	4,239.0
Elza K-741	2	1,104.0	2,208.0
			33,094.0

^{*}Resampling of this transformer indicates a reduction of PCB ppm below 500 ppm.

^{**}There have been quality assurance problems with analytical results from mineral oil transformers contaminated with PCB. These problems have been corrected, and as a result of resampling, three transformers have been added to the inventory of 1982. As resampling continues, other transformers may be added to or deleted from the inventory.

From January 1, 1983, to December 31, 1983, the following materials were placed in storage for future disposal:

Plant Origin	Number	Container	<u>Contents</u>	Wt. (Kg)
K-25	32	Drum	PCB Solids	5,410.0
K-25	8	Drum	PCB Liquid - Waste Oil	940.0
K-25	17	Drum	Capacitors	3,832.0
Y-12	17	Drum	Capacitors	3.377.0
				13.559.0

As of January 1, 1984, the following materials were in storage for future disposal:

Number	<u>Container</u>	Type	Wt. (Kg)	Location
148	Drum	PCB Solids	22,473.0	K-306-1
4	Drum	PCB Solids	615.0	K-726
157	Drum	PCB Liquid	46,776.0	K-3 06- 1
118	Drum	PCB Liquid - Kerosene	19,089.0	K-726
104	Drum	PCB Liquid - Waste Oil	16,960.0	K-726
47	Drum	PCB Liquid - Mineral Oil	9,932.0	K-726
34	Drum	Capacitors	5,831.0	K-306-1

From January 1, 1983, to December 31, 1983, the following PCB materials were removed from the ORGDP:

Number	Container	Type	Wt. (Kg)
15*	Drum	PCB Solid	1,951.0
1*	Drum	PCB Liquid	97.0
15*	Drum	Capacitors	3,352.0
13**	Transformer	Transformer	11,186.0

^{*} PCB material shipped to Rollins Environmental Services in Deer Park, TX.

^{**} PCB transformers shipped to Chemical Waste Management in Emelle, AL.

In addition, the following materials are maintained for future use or disposal:

			Wt	. (Kg)
Location	Number	Container	Each	<u>Total</u>
K-33	7	Transformer Casing	Empty	Empty
K-33	1	Transformer Casing	9,488	9,488.0
K-33	6 .	Transformer	4,261	25,566.0
K-33	3	Transformer	6,023	18,069.0
K-33	1	Transformer	Empty	Empty
K-33	1	Storage Tanks	2,727	2,727.0
K-33	1	Storage Tanks	9,659	9,659.0

JANUARY 1, 1984 - DECEMBER 31, 1984

January 1, 1984 - December 31, 1984

As of January 1, 1985, the following PCB capacitors were in use at ORGDP:

		Wt. (Kg)					
Location	<u>Number</u>	<u> Each</u>	Total				
K-25	216	10.8	2,332.8				
K-27	2,323	9.7	22,533.1				
K-29	690	10.8	7,452.0				
K-31	3,300	8.0	26,400.0				
K-33	4,737	13.0	61,581.0				
			120,298.9				

January 1, 1984 - December 31, 1984

As of January 1, 1985, the following PCB transformers were in use at ORGDP:*

		Wt. (Kg)					
Location	Number_	Each	Total				
K-33	40	9,576	383,040.0				
K-33	28	7,781	217,868.0				
K-33	8	7,781	62,248.0				
K - 33	4	7,281	29,124.0				
			692,280.0				

^{*} One transformer has been designated a spare that was listed on the 1983 inventory.

January 1, 1984 - December 31, 1984

As of January 1, 1985, the following PCB transformers (mineral oil contaminated with greater than 500 ppm PCB) were in use at ORGDP:

		Wt. (Kg)						
Location	Number	Each	Total					
K-862	1	1,597.0	1,597.0					
*K-1131	1	1,600.0	1,600.0					
K-1401	4	1,408.0	5,632.0					
K-731	3	736.0	2,208.0					
*K-731	3	1,104.0	3,312.0					
K-791	5	1,104.0	5,520.0					
*K-791	0	845.0	0.0					
K-791	1	1,280.0	1,280.0					
K-791	1	4,239.0	4,239.0					
Elza K-741	2	1,104.0	2,208.0					
*K-1501	1	930.0	930.0					

^{*} There have been quality assurance problems with analytical results from mineral oil transformers contaminated with PCB. These problems have been corrected, and as a result of resampling, five transformers have been deleted and one transformer has been added to the inventory of 1983. As resampling continues, other transformers may be added to or deleted from the inventory.

January 1, 1984 - December 31, 1984

From January 1, 1984, to December 31, 1984, the following materials were placed in storage for future disposal:

Plant Origin	<u>Number</u>	<u>Container</u>	Contents	Wt. (Kg)
K-25	108	Drum	PCB Solids	29,611.0
K-25	15	Drum	PCB Liquids	2,452.0
K-25	8	Drum	Capacitors	1,166.0
K-25	16	Transformer	Transformer	20,153.0

January 1, 1984 - December 31, 1984

As of January 1, 1985, the following materials were in storage for future disposal:

Number	Container	Type	Wt. (Kg)	Location
179	Drum	PCB Solids	35,008.0	K-306-1
63	Drum	PCB Solids	12,741.0	K-726
161	Drum	PCB Liquids	47,616.0	K-306-1
118	Drum	PCB Liquid-Kerosene	19,089.0	K-726
97	Drum	PCB Liquid-Waste Oil	16,117.0	K-726
48	Drum	PCB Liquid-Mineral Oil .	9,993.0	K-726
15	Drum	Capacitors	1,974.0	K-306-1
25	Drum	Capacitors	4,493.0	K-726

January 1, 1984 - December 31, 1984

From January 1, 1984, to December 31, 1984, the following PCB materials were removed from ORGDP:

<u>Number</u>	Container	Type	Wt. (Kg)
22	Drum	Solids	4,950.0
16	Drum	Liquids	2,251.0
2	Drum	Capacitors	530.0
3	Transformers	Transformers (>500 ppm)	7,022.0
13	Transformers	Transformers (<500 ppm)	13,131.0

January 1, 1984 - December 31, 1984

In addition, the following materials are maintained for future use or disposal:

			Wt.	(Kg)
Location	Number	Container	Each	<u>Total</u>
K-33	7	Transformer Casing	Empty	Empty
K-33	1	Transformer Casing	9,488.0	9,488.0
K-33	6	Transformer	4,261.0	25,566.0
K-33	3	Transformer	6,023.0	18,069.0
K-33	1	Transformer	Empty	Empty
K-33	1	Transformer	7,781.0	7,781.0
-K-709	1	Transformer	3,811.0	3,811.0
K-33	1	Storage Tank	2,727.0	2,727.0
K-33	1	Storage Tank	9,659.0	9,659.0

4/17/24



TEXAS WASTE SHIPPING—GONTROL TICKET

(Plezsé Type or Print Clearly)

Ticket No. 1015495

Ticket No. 1015495

Tog To 7

(Satisties I U	WR, IDH, U.S. DOT and	U.S.	EPA	reau	irem	ents fo	ir h	azardous or o	iass	waste m	anifes	t)		
PART I: To be completed by Generator	(see reverse side for instru	ctio	ns)											•
Company Name DEPT. OF ENER	RGY, OAK RIDGE G	<u>AS</u>	EOU:	S D	<u>IFF</u>	USIC)N	PLANT TOWR/TOH	Reci	tration !	Va.	9	9	9 4
Business Address POST OFFICE	<u>BOX E, OAK RIDGE</u>		TN :	<u> 378</u>	31					-1 -1		T 1		
Address From Which Shipment Originate	= '							SPA Gen.≓				10,01	<u>9 0</u>	1010
POST OFFICE BOX P, O	AK RIDGE, TN 378	331						Emergency F	hone	A/C	615	<u>-574-32</u>	282_	
DESTINATION:									_				111	4 2
Primary TSD Facility NameROLL	INS ENVIRONMENTA	1L	SER	VIC	ES	(TX)		THIS TOH					1 4 1	712 1
Business Address POST OFFICE Bi								EPA TSD Fac. ≓	1 _ 1 _	X D	.)	1 .1 .1	4 1	3 7
Destination (Site) Address 2027 BA	TTLEGROUND ROAD.	, <u>D</u>	EER	<u> </u>	RK,	<u> </u>	-	Phone A/C	71	3-479	-50	01		
Alternate TSD Facility Name N	/A							TDWR/TDH	Perm	nit No			TT	
Susiness Address								EPA TSD			-			1 1: ;
Destination (Site) Address								Fac. #	Ш					
	<u> </u>					٠.		Phone A/C						
1. US DOT PROPER SHIPPING NAME	2. US DOT HAZARD CLASS	3.	UN/	A A	NUM	BER		4. QUANTIT	/ UI	VITS*		TAINER TYPE		TEXAS
DEBRIS	ORME	U	N	2	3	1 -	5	13:24	1	2 3 🙆		NA	- 17	9430
CAPACITORS	ORME	U	I N	2	: 3	1	5	1	1	2 3 4		NA	17	1890
POLYCHLORINATED SIPHENY	LS, ORME	U	N	2	3	1,	5	a V	7	2 3 4)	NA	11	.3730
LIQUID (50-500 PPM)			1	1	1	1 .1			1	2 3 (4				
			i	ì	i	1 1			1	2 3 4				
			1	! !	! !	; <u>;</u> ; j,	-	<u> </u>	1	2 3 4				
-			I	! !	!	! !			1	2 3 4	 			
* Circle one: (1) tons (2) gallons (3) cubic varde (a) drum	- 15	5 021	· ·		1				//	· /-	!		
This is to cert to that the above named r	•		-		۵.	Date o	of S	Shipment	-4		Z		<i></i>	
packaged, marked, and labeled and ar according to the applicable regulation						c:4	<i>.</i> .		//	والمرك		1	d	
TDWR, and TDH.						319. 0	: A 	uthorized Ag	ent j					
PART II: To be completed by the Trans	porter/Driver (see reverse	side	for in	struc	ctions	s)							1,1	4 2
Transporter ROLLINS ENVIRONM							DW	R/TOH Tran	s. No	 , ,		<u> </u>	1 11	4 6
Business Address POST OFFICE E		RK	<u>, T</u>	ζ 7	<u>7</u> 53	6 _{E1}	PA	Trans. No.	T	X D	0 5	5 5 1	4 1	. 3 7
Phone Number A C 713-479-60	001									4		17.	-8	4
I certify (or pepare, that the materi		ribe	d abo	ve a	re	Date	nec	eived		^	<u></u>		11	
received by me for thipment to the abov	e named destination.					Sig. o	f A	uthorized A	pent .	<u> </u>	1	<u>`~~`</u>	74	<u>redi</u>
'PARTIII: To Be completed by T				(TSI	ֿ נס		nw	r /B/TDH Perm	- n- No				2/_!	42
TSD Facility Name Rollins Envi													1 10 - 1	1-1-2
Phone Number	713 - 479-6901					£i	PA	TSD Fac. No	L	710	010	13 1/	1 24 /	101-7
	27 Danieground Road et i a.s. 18245 (1009				·					1	_ ¬	i		
TSD Facility Owner/Operator Commen			———			Date	Rei	ceived				-0	7	
					_					\sim	مئر ۔	ر مرب	A	<i>A</i>
I certify (or declare) that the material received by me.	ts in the quantities describ	ec.	in Par	t i a	re	Sig. o	of A	Authorized A	gent .		12	_\/	<u>U.A.F</u>)
														<u>/</u>



all paperiore returned.

TEXAS WASTE SHIPPING-CONTROL TICKET

(Please Type or Print Clearly)

1.06/To,

(Satisfies TD)	WR, TDH, U.S. DOT and	J.U.S.	. EPA	regu	uiren	nen ts	for l	hazardous or ci	ass I	waste m	anifest)	/
PART I: To be completed by Generator	(see reverse side for instr	ructio	ns)		,				-			
Company Name Dept. of Energ				Dif	fus	io	<u>n</u> .P	lant	3 a mi a a	: A	. 9	9 9 4
Business Address Post Office Bo	<u>x E. Oak Ridge</u>	<u>, T</u>	N 3	<u> 783</u>	1			TDWR/TDH F	-		40.	
Aldress From Which Shipment Originates			-					EPA Gen.#				9000
Post Office Box P. Oa	k Ridge, TN 37	<u>831</u>				-		Emergency Ph	none .	A/C	(615) 574	-3282
DESTINATION:	a Eauimannanta	, c	~ ~ . .			′ T V	۱ т	_TDWR/TCH I	Permi	it No.	0	1 4 2
Primary TSD Facility Name Rollin	S Environmenta	1 3	erv	708	5	IX	<u>/_</u> 1	EPA TSD	- 1,			
Business Address P. D. Box 609						ΓV		13C. 77 L	TIX		0 5 5 1	4 1 3 7
Destination (Site) Address 2027 Bat	.crearound ku.	טפפ	f P	ark		<u> </u>	 ·	Phone A/C _		13)	479-6001	
Alternate TSD Facility Name	N/A							TOWR/TOH	Perm	it No.		
Business Address	·					_		EPA TSD				1 1 1 1
Destination (Site) Address							<u> </u>	Fac. # (1 1		
	,							Phone A/C _				
1. US DOT PROPER SHIPPING NAME	2. US DOT HAZARD CLASS	3.	UN	NA I	NUN	8EF	}	4. QUANTITY	UN	## * ZTII	CONTAINER NO. TYPE	6. TEXAS WASTE COD
Debris	ORME	U	N	2	3	1	5	7	1 2	3 4	NA	179430
Capacitors	ORME	U	! N	12	1 3	11	15	1	1 2	3 (6)	NA	171890
Tychlorinated Bipheny	s ORME	U	i N	2	i 3	<u> </u> 1	÷5	14	1 2	2 3 🕙	NA	113730
liquid (50-500 ppm)			1	1	1' 1	 	 		1 2	2 3 4		
Sludge (50-500 ppm)	ORME	U	<u>i</u> N	2	<u>¦ 3</u>	1	5	2	1 2	2 3 🙆	NA	151250
	:		1	i T	1	ŧ ļ	1		1 2	2 3 4		
				1	l I	1	i !		1 2	2 3 4		
* Circle one: (1) tons (2) gallons (3) cubic yards (4) drui	ms (5	5 gal	.)					0			1606
This is to certify that the above named migackaged, marked, and labeled and are						Sat	e cf	Shipment	70	9.4.2.	22,1	709
according to the applicable regulations TDWR, and TDH.						Sig.	of A	Authorized Age	كصير	E.	SHILL	elay
			_						(=			
PART II: To be completed by the Transp	oorter/Driver (see reverse	side	for i	nstrui	ction	(21	TDV	VR/TDH Trans.	. No.		3	1044
Transporter			10	NSC	1/1/	<	. 1	A	DI	1 d A	2011	न्या बनार
=1-	- 9900		رېي	<u> </u>	<u> </u>		EPA	Trans. No.			014161	17:81/12
Phone Number A/C 1/2 5/2 5			4			Dat	e Re	ceivea <u>b</u>	- 2	<u>L – </u>	8 /2	
 ! certify (or declare) that the material received by me for shipment to the above 		Cribed	g apo	ove a	re	٠.		Authorized Age			1. 7	
						5 ig.	. 01 /	Authorized Age	int _	7		-/
PARTIII: To Be completed by Ti				/===	2)							
Facility Owner/Operator (s	ee reverse side for instru	ction	s) ·	(15)	Ui		ייכד	VR/TDH Permi	t No.			1/14/2
TSD Facility Name Rollins Envi	ironmental Services, (التا	nc_				EDA	TSD Fac. No.	7	VI	OF H	10/37
ne Number	713 - 479-6001 027 Sartlesround Road				_		EFA	, iou fag. NO.	(
——————————————————————————————————————	har Pati Teins 71535					D.=	ta A-	sceived		6-	フシー	7 /
Comity Owner/Operator Comment	•				-	Ja				ءر		
I certify (or declare) that the materials	s in the quantities descri	ibed i	n Pa	rt i a	re	Sia	. of ,	Autnorized Age	ent _	1	1/5	



ALABAMA

HAZARDOUS WASTE MANIFEST

CWMA

11 1156

	<u> </u>		·						
IDENTIFICATION	INFORMAT	101-							
	1AME		ADDRESS			PHONE		EPA ID COD	E (
<u>೦. ಗ. ತಿಮಿಸುಭಿತ</u>	PARTEMENT OF Energy M. Galwans Diffusion Pi MEMORITE NO. 1 GENERAL Waste Management Contained Waste Management, Emelle Facility ASTE INFORMATION CONTAINER OIL TYPE Waste polych UN2315) (PCB FILL - <500 RO - REPORTA AERGENCY INFORMATION GERGENCY HOS.: DISPOSER — (2) ECIAL INSTRUCTIONS: CD 31: 271 (710) 37		Post Uffice Box E Oak Ridge, TH 37031		(31 574	5) -9352	 		
Incorporated	a Managemen	d t	Post Office Box 55 Emelle, AL 34869		(20 652	5, -9511	AJL	10 10 10 10 15 12	12 14
									1.1
		, Inc.	P. O. Box 55 Emelle, Alabama 3	5459	205	-652-9531	AL	. 0 0 0 6 2	2 4
WASTE INFORM	HOITAN							·	
CONTAINER NO. TYPE		DESC	CRIPTION/CLASS	TOTAL QUAN.	UNIT	EPA Hazara Waste ID N	1	C W M A WASTE CODE	W
13	<u>UN2315) (PC</u>	:B co	inated biphenyls (ORM ntaminated transforme		EÀ	171/1	_	K/A	
				35,620	LL	1111			
		=							
EMERGENCY IN	HORMATION								
	TIONS: GUDTI, Q	ri ivs	en de cirpostruite, c						
	 . ترسندار میراندم	سامتتن		بتدونت	ريست	706 31-		0/19/2	
	Generator	1			Title			Date	
This is to certify so	ce ptance of the h	ezerdo	us waste shipment described abov	re:	,				
1 2 m		_		<u>i</u> _7	/ 	_		2/12	11
	Transporter #1		· ·		Title			/ Date	,
	Transporter #2				Title			Date	:
This is to certify e	ecceptance of the	hezard	ous waste shipment described ai	pove for treat	ment,	storage or d	isposa	l:	
				1				·	: •
	Disposer	. /			Titie			Dete	:
DISPOSAL INF	ORMATION								
CWMA WASTE CODE	QUANTITY	UNIT	PROCESS CODE TREM	LOCATION LEVEL	עט.	AD		COMMENTS	•
	1 3 1	. (.	1.5					<u> </u>	<u>ي. ج</u>
	. 1		i	:					

and the state of	SOAN COL	AAAAAAAA	A A B	وينجر انتجاريني	A. A. A. A.	تحريض	5 2 5 E	A A	The A			
, .		STE MANIFEST	59'	1500	2048				حضتيمه			
	ORIGINAL - NOT	NEGOTIABLE :	~ N($D D_{c}$. *						
Final	\wedge	uved 5/22/84	1,1			MANIF	EST DOCUMENT	NUMBE	R			
P. Sa	la Darlod					40	936 SHIPPER NUMBE	<u> </u>				
	to ceccs -	nergy Systems Company	(ENSC	0)								
· Cosa	10 OZC04	NAME OF CARRIER		<u> </u>	(SCAC)		CARRIER NUMBE	A				
	12 DIGIT EPA ID 4		FICATION	ADDRESS, AND	TEL EPHONE NU	Mach		DAT	E SHIPF			
EHERATOW	1	Department of Energy	·				Plant	CR	RECEIV			
HIPPER	TN0890090004	<u> P.O. Box P. Oak Ridg</u>	e TN3	<u> 7831 615-</u>	<u>-574-328</u>	2	-,		/3/8			
THARSPORTER # 1	ARD069748192	Energy Systems Compa El Dorado, Ark 71730	ny (EN: 501-8	SCO), P.O 63-7173). Box 1	975, Ame	erican Rd.	' 5,	/3/ 8			
RICHSPORTER # 2												
SDE TREATMENT STORAGE OF DIS—	TND980729305	AMERICAN INDUSTRIAL	RICAN INDUSTRIAL WASTE; INDUSTRIAL DR.; WHITE BLUFF, TN;									
TEDF TREATMENT ETCRAGE OR DIS— POSAL FACILITY		RETURN TO GENERATOR	URN TO GENERATOR									
		WASTE IN	FORMAT	ION								
OF UNITS E	MAZ (Pr	CRIPTION AND CLASSIFICATION oper Shipping Name. Class and on Number per 172.101, 172.202, 172.203	UN # of NA #	EXEMPTION OR NO LABELS REQUIRED	FLASH POINT (IM °C) WHEN REQ'D	UNITS WT/VOL	TOTAL	RATE	CHAF (For C Use			
₹ X	Biphe (PCB DRAIN	este Polychlorinated enyl (ORM-E/UN2315) Transformers to be NED AND FLUSHED- TER THAN 500 ppm)	JN2315	None	N/A		100 Gal. WALLORER	<u></u>	 R(
	ing instructions Superintendent	In case of an emergen t at (615)574-3282.	icy, ca	free) of	r 202-426-2675 (10 ng a serious sit	spilled on a warted to the Fed It call). If other D sation, call ship	aterway or adjoining teral government at XXX Hazardous Materi pper's telephone nui	1-800-424- iais are di	-8602 (t			
		t disposal site in Whi 1-3282. s COD must appear before consignee		ff, TN.,		ift	PLACARD Yes Z	STEN	IDER 10 C			
PEMIT C.O.D. TO:	•		cor)	Amt: \$		C.O.D. FEE: PREPAID [] COLLECT []	\$				
re required to state apacific schared value of the propert	lue of the property is hereby	"If the snipment moves between two pons be a carrier by water, the law requires that the bill of lading shall state whether it is "carrier's or snipper's weight."	y ine consign e tollowing si s The carri	Section 7 of the condi- se without recourse on atement or make deliner and other tautul Sharger	the consignor the co very of this shiomen	uerdua. Butil 21âu 14		S CHARGE	ES :			
Parameter Parame		Signature	,	Signali	es al Consignari		FIREIGHT PREDAIG.					
bill of Lading, the and condition indicated above as meaning and to carry to its up	the property described above in of contents of packages unit t which said carrier (the word a y person or corporation in posses sual place of delivery at said de	distriffs in effect on the date of the issue of this apparent good order, except as noted (contents inown), marked, consigned, and destined surrier being understood throughout this contract assion of the property under the contract) agrees isstination, if on its route, otherwise to deliver to it is mutually agreed as to each carrier of all or	any time shall be the date Ships the gov	e interested in all i subject to all the b of shipment, per hereby certifies	or any said prope will of lading terms that he is familia on and the said t	rty, that every se and conditions with all the bitle erms and condit	estination and as to envice to be performed in the governing class of lading terms and others are hereby agree	t hereunds ilication o onditions i	er xn in			
		CER	TIFICATIO	N								
classified, descriptor condition ations of the	ribed, packaged, mark n for transportation a		SPORTER #1	•	1538	PORTER #2 SIG	e shipment.		, <u>c</u>			
GENERATOR'S	S SIGNATURE	2/. 0/3/27 L		IGNATURE	M. Ciler	<u>ت</u> /	14/84 DATE		.			
A SALLY		EXXXXXXXXX	(T)	ZZZZ	5 7 7 7 Y	<u>्रिक्ट्र</u>	**************************************	रू कृ	7			
STYLE 5-50 @ 1	ABELMASTER CHICAGO	60648						مد	_			

<u>H</u> A	ZAF	, UOGS	N	TE MANIFEST	•		$\langle \langle \rangle \rangle$			2 ,		
			, ,	Copy Recared	15	-000	8	MANI	FEST DOCUMENT	NUMBER		
			6/29/	84.,					A PARTY OF THE PAR			
		Rens	111100	shel ergy Systems Compa	ny (FXSCO) }		7-4-	SHIPPER NUMB	ER		
•	Cose	اط نہ	CECOT	NAME OF CARRIER	117 / 111300	'1	(SCAC)	<u> </u>	CARRIER NUMB	ER		
				IDEN	NTIFICATION							
		12 DIGIT	T EPA IO d	COMPAI	NY NAME, MAILING	ADDRESS, AND	telephone nu	MBER		DATE SI OR REC		
ENERATOR		TK0890	090004	Department of Ener					sion Plant,			
TRANSPORTER	1 1	ARDO69	748192	Energy Systems Com El Dorado, Ark 717). Box 19	975, Am	erican Rd.	5/		
RANSPORTER	102			-				•	·			
ISDF TREATM STORAGE OR POSAL FACILI	DIS-	THE 980	0729305	AMERICAN INDUSTRAT	IL WASTE	Industri	al Dr. W	hite Bi	luff, IN	5/10		
TSDF TREATM STORAGE OR POSAL FACILI	DIS-											
				WASTE	EINFORMAT	ION			- Programme and the			
O. OF UNITS & CONTAINER TYPE	нм	EPA HAZ WASTE	(Pro	RIPTION AND CLASSIFICATION oper Shipping Name, Class and on Number per 172.101, 172.202, 172.203	UN e of NA 8	EXEMPTION OR NO LABELS REQUIRED	FLASH POINT (IN °C) WHEN REQ'D	UNITS WINOL	TOTAL	RATE (F		
1	X	JK231!	Biphen (PCB T DRAINE	te Polychlorinated yl (ORM-E/UN2315) ransformer to be D AND FLUSHED R THAN 500 PPM)	UN2315	N2315 Hone N/A		14,850645 Gal. Lbs.				
SPECIAL H	Sh1	ft Supe		In case of an emergent at (615)574-322	32.	freeto creatir 1-800-	be promptly lepo if 202-425-2675 (to hy a serious sit 424-9300 (mmedia	oried to the Fi ill Catil It other wation, call si stely	waterway or adjoining edecal government a coor mazardous Matchinoper's telephone in PLACAR	1 1-800-424-880 Briais are disci		
on Siber	INIE	क्रिया	ai laisi	57# 3282*** S COU must appear before consi					Yes			
REMIT C.O.D. TO: ADDRESS					cor)	Amt: \$		C.O.D. FEE: PREPAID [] COLLECT []	\$		
The agreed of the	ne acutifica Ne property Michael Hab	containt on value ory at containg the e of the property par to be not be	e agreed at	"If the shipment moves between two po a carrier by water, the law requires to bill of lading shall state whether "Carrier's or shipper 8 weight."	ofts by Ine consign	Subject to Section 7 of the congenions is the singularity to be demonsted to TOTAL CHARGES: The consigned interest recourse on the consequent me consequent means support the CHARGES: The carter shall not make demons of this singularity entitled payment of frequent and an other leaving Charges						
Bill of and c indica as me to carr	Lading In ondition of tec above animg any ty to its us	we property de- of contents (which said ca- person or corp usi place of d	acribed above in a of pechages una erier (the word ca poration in posses brivery at said de	I tariffs in effect on the date of the issue of incoment good order, except as noted (com- nown), marked, consigned, and destine- trier being understood throughout this con- seion of the property under the contract) at stination, if on its route, otherwise to deli- if is mutuelly agreed as 10 each carrier of	tents any time of as shall be stract the data grees Ship wer to the gov	ne interested in all s subject to all the t e of shipment per hereby certifies	or any said problems bilt of lading terms that he is familia on and the said t	rty, that every a and condition if with all the b erms and cond	prestination and as to service to be perform its in the governing cla- iit of lading terms and titions are hereby agr	ed hereunder selfication on conditions in		
				C	ERTIFICATION	NC						
ciausified proper co regulation	descri ndition is of th	bed, pack for trans	kaged, marki sportation ac nent of Trans	ed and labeled, and are in coording to the applicable	This is to certificansporter at This is to storage or	SIGNATURE & DA	ATE TRANS	SPORTER #2 S	SIGNATURE & DATE waste for treat	(if requirement,		
			,				,			/		

August 9, 1984

PCB File

PCB Transformer Inspection Audit

On August 7, 1984, an audit of the PCB transformer inspection records for the Cascade Operations Department was conducted by J. E. Stone, of the Environmental Management Department. This audit was performed to ensure compliance with EPA regulations regarding PCB transformer inspections.

The PCB transformer inspections for the Cascade Operations Department are performed by Mr. K. L. Woodard, once every quarter. These inspections include the following items:

- date of inspection
- location of transformer
- all leaks observed
- all leaks repaired if needed
- severity of leaks
- old leaks that were re-epoxyed
- leaks not accessible but cleaned
- name of inspector

All leaks are repaired in conjunction with each inspection performed on PCB transformers.

After reviewing the inspection records of the Cascade Operations Department for PCB transformers, it was found that these inspections are being conducted in compliance with all EPA regulations regarding this matter.

It is hoped that this level of performance will continue in the future to ensure compliance. Attached is a copy of an inspection log sheet,

transformer grid sheets, and other correspondence concerning the inspections.

J. E. Stone, K-303-7, MS 346 ORGDP (4-9352) - NoRC

JES:rcd

cc: S. R. Humphreys

K. L. Woodard

L. W. Long - File

ŕ

MARTIN MARIETTA ENERGY SYSTEMS, INC.

lugust 28, 1984

File

PCB Transformer Inspection Audit

On August 13, 1984, an audit of the PCB transformer inspection records for the Power Operations Department was conducted by J. E. Stone of the Environmental Management Department. The audit was performed to ensure compliance with EPA regulations concerning the inspection of PCB transformers.

The inspections of PCB transformers, for the Power Operations Department, are performed by Mr. A. D. Hair. These inspections are performed once every quarter and include the following items:

- wate of inspection
- transformer number and location
- leaks observed if any
- severity of leaks if observed
- date of repair
- repaired by
- name of inspector

After examining the inspection records, it was found that the inspections are being performed in compliance with the EPA regulations concerning PCB transformers. It is hoped that this practice will continue in the future.

Attached is a copy of the inspection reports for PCB transformers dated January 1, 1984, to the present.

J. E. Stone, K-303-7, MS 346 ORGDP (4-9352) - NoRC

JES:red

Enclosure

cc/enc: A. D. Hair

L. W. Long - File

STOP SELECTION OF THE PROPERTY.

RTIN MARIETTA ENERGY SYSTEMS, INC.

POST OFFICE BOX P OAK RIDGE TENNESSEE 37831

March 6, 1985

Department of Energy Oak Ridge Operations Artn: Mr. B. J. Davis, Chief Environmental Protection Branch Fust Office Box E Oak Ridge, Tennessee 37831

Gentlemen:

Sampling for PCB Contamination at the Oak Ridge Gaseous Diffusion Plant

In order to evaluate specific areas at ORGDP for PCB contamination, soil samples were taken from electrical switchyards, and sludge samples were taken from sewage treatment tanks.

On August 10, 1984, sludge samples were taken from the two sewage treatment innoti tanks located at ORGDP. The sludge was analyzed for PCB concentrations. The analyses indicate PCB concentrations less than 0.001 mg/liter in both tanks. Attachment 1 is a copy of the data for the inhoff tanks.

On December 12 and 13, 1984, soil samples were taken at the following switchyards.

- K-27 Switchyard (ORGDP)
- 2. K-31 Switchyard (ORGDP)
- 3. K-33 Switchyard (ORGDP)
- 4. X-10 Switchyard (ORNL)
- 5. Elza Switchyard (Y-12)

Three locations were sampled within each switchyard. The gravel cover was removed, then soil samples were taken at depths of four, eight, and twelve inches. The attached data (Attachment 2) indicates the concentrations of PCS found at each loacation.

It is determined, by ORGDP Environmental Management Department staff, that there are no significant PCS concentrations within the electrical switchyards or the sewage treatment tanks.

If you have further questions, please contact J. E. Stone at extension 4-9352.

Sincerely,

L. W. Long, Environmental Coordinator Oak Ridge Gaseous Diffusion Plant

LNL: JEStone: rod

Attachments

cc/att: R. D. Blanchard

J. S. Dalton

W. R. Golliher

T. P. A. Perry

C. H. Peterson

W. F. Thomas

File - NoRC